

REMARKS

Objection to Claim 141

In the *ex Parte* Quayle Office Action mailed November 24, 2007, the Examiner allowed claims 120-124, 127-134, 136-140, 142-145, 147-163, 166-167, 169-171 and 173-179. The Examiner also objected to claim 141 as lacking antecedent basis for "said document retaining member." The Examiner indicated that claim 141 would be allowed if the objection is overcome.

In response, applicants have amended claim 141 to depend from claim 140, which provides proper antecedent basis for "said document retaining member." Applicants respectfully request that the Examiner's objection be withdrawn.


Drawings

Applicants are enclosing replacement drawings to correct informalities in FIGS. 2, 4-7, 9-12, 14-15, 17-18, 20-46, 48-51, 53-55, and 58-60. In particular, page numbers were inadvertently included in these figures. Applicants are also enclosing annotated marked-up drawing sheets showing the modification. In the interest of efficiency, applicants are submitting a complete set of replacement drawings. This complete set will replace all prior sets of drawings.

Conclusion

A prompt and favorable action is respectfully requested.

Respectfully submitted,



Paul E. Leblond
Reg. No. 58,397
Agent for Applicants
Fish & Neave IP Group
Ropes & Gray LLP
Customer No. 1473
1211 Avenue of the Americas
New York, New York 10036
Tel.: (212) 596-9000
Fax: (212) 596-9090






FIG. 4




FIG. 5

5




FIG. 6









FIG. 7

















FIG. 17




FIG. 18




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24






FIG. 25



Reg. No. 58,597

ANNOTATED MARKED-UP DRAWING






FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33






FIG. 35









FIG. 38






FIG. 40







FIG. 41













FIG. 45














FIG. 50












FIG. 58




FIG. 59

